ELSEVIER

Journal of Affective Disorders 78 (2004) 287–289

JOURNAL OF AFFECTIVE DISORDERS

www.elsevier.com/locate/jad

Author index

Addington, S., see Tomarken, A.J. (78) 235
Adorno, E., see Devanand, D.P. (78) 259
Akiskal, H.S., see Masi, G. (78) 175
Aluoja, A., Leinsalu, M., Shlik, J., Vasar, V. and Luuk, K.
Symptoms of depression in the Estonian population: prevalence, sociodemographic correlates and social adjustment (78) 27
Ansseau, M., Dierick, M., Buntinkx, F., Cnockaert, P., De Smedt, J., Van Den Haute, M. and Vander Mijnsbrugge, D.
High prevalence of mental disorders in primary care (78) 49

Baetz, M., see Bowen, R. (78) 185
Baldessarini, R.J., see Oepen, G. (78) 1
Beekman, A.T.F., see Stek, M.L. (78) 193
Bell, B., Chalklin, L., Mills, M., Browne, G., Steiner, M., Roberts, J., Gafni, A., Byrne, C., Wallik, D., Kraemer, J., Webb, M., Jamieson, E., Whittaker, S. and Dunn, E.
Burden of dysthymia and comorbid illness in adults in a Canadian primary care setting: high rates of psychiatric illness in the offspring (78) 73
Bertini, N., see Masi, G. (78) 175
Blanco, C., see Weissman, M.M. (78) 93
Boshuisen, M.L., see Slaap, B.R. (78) 141
Bottlender, R., Sato, T., Kleindienst, N., Strauß, A. and Möller, H.-J.
Mixed depressive features predict maniform switch during treatment of depression in bipolar I disorder (78) 149
Bowen, R., Clark, M. and Baetz, M.
Mood swings in patients with anxiety disorders compared with normal controls (78) 185
Brambilla, F., Monteleone, P. and Maj, M.
Interleukin-1β and tumor necrosis factor-α in children with major depressive disorder or dysthymia (78) 273
Browne, G., see Bell, B. (78) 73
Buchholz, C., see Löwe, B. (78) 131
Büchold, H., see Overbeek, T. (78) 227
Buntinkx, F., see Ansseau, M. (78) 49
Burt, T., see Devanand, D.P. (78) 259
Byrne, C., see Bell, B. (78) 73

Carretié, L., Mercado, F., Hinojosa, A.é.A., Martín-Loeches, M. and Sotillo, M.
Valence-related vigilance biases in anxiety studied through event-related potentials (78) 119
Cervera-Enguix, S., see Schlatter, J. (78) 243
Chalklin, L., see Bell, B. (78) 73
Chen, C.-S., see Yen, C.-F. (78) 57
Cheng, J., see Devanand, D.P. (78) 259
Clark, M., see Bowen, R. (78) 185
Cnockaert, P., see Ansseau, M. (78) 49
Curtin, F. and Schulz, P.
Clonazepam and lorazepam in acute mania: a Bayesian meta-analysis (78) 201

De Smedt, J., see Ansseau, M. (78) 49
Den Boer, J.A., see Slaap, B.R. (78) 141
Dennis, C.-L.
Can we identify mothers at risk for postpartum depression in the immediate postpartum period using the Edinburgh Postnatal Depression Scale? (78) 163
Devanand, D.P., Adorno, E., Cheng, J., Burt, T., Pelton, H.H., Roose, P.P. and Sackeim, A.A.
Late onset dysthymic disorder and major depression differ from early onset dysthymic disorder and major depression in elderly outpatients (78) 259
Dichter, G.S., see Tomarken, A.J. (78) 235
Dierick, M., see Ansseau, M. (78) 49
Dowson, J.
Associations of the severity of depressive disorders in women with psychogenic low weight (78) 279
Dunn, E., see Bell, B. (78) 73

Ebeling, H., see Hiltunen, P. (78) 111
Erfurth, A., see Michael, N. (78) 253

Fartacek, R.R., see Mackinger, H.F. (78) 61
Feder, A., see Weissman, M.M. (78) 93
Feldinger, F.F., see Mackinger, H.F. (78) 61
Freid, C., see Tomarken, A.J. (78) 235
Fuentes, M., see Weissman, M.M. (78) 93

Gafni, A., see Bell, B. (78) 73
Gameroff, M.J., see Weissman, M.M. (78) 93
Gräfe, K., see Löwe, B. (78) 131
Griez, E., see Overbeek, T. (78) 227
Gur, S., see Nahshoni, E. (78) 21
Gussekloo, J., see Stek, M.L. (78) 193

Hakko, H., see Partonen, T. (78) 11
Hanusa, B.H., see Wisner, K.L. (78) 249
Haukka, J., see Partonen, T. (78) 11
Hermesh, H., see Nahshoni, E. (78) 21
Herzog, W., see Löwe, B. (78) 131

doi:10.1016/S0165-0327(04)00011-4

Hillegers, M.H.J., see Reichart, C.G. (78) 67
Hiltunen, P., Jokelainen, J., Ebeling, H., Szajnberg, N. and Moilanen, I.
Seasonal variation in postnatal depression (78) 111
Hinojosa, A.é.A., see Carretié, L. (78) 119
Høyer, E.H., Olesen, A.V. and Mortensen, P.B.
Suicide risk in patients hospitalised because of an affective disorder: a follow-up study, 1973–1993 (78) 209

Isometsä, E., see Partonen, T. (78) 11

Jamieson, E., see Bell, B. (78) 73
Janka, Z., see Szabó, Z. (78) 153
Jokelainen, J., see Hiltunen, P. (78) 111

Kálmán, J., see Szabó, Z. (78) 153
Ker, J.-H., see Yen, C.-F. (78) 57
Kleindienst, N., see Bottlender, R. (78) 149
Kraemer, J., see Bell, B. (78) 73
Kroenke, K., see Löwe, B. (78) 131
Kunz-Dorfer, A.A., see Mackinger, H.F. (78) 61

Lantigua, R., see Weissman, M.M. (78) 93
Lehrl, S.
Clinical efficacy of kava extract WS® 1490 in sleep disturbances associated with anxiety disorders
Results of a multicenter, randomized, placebo-controlled, double-blind clinical trial (78) 101
Leibetseder, M.F., see Mackinger, H.F. (78) 61
Leinsalu, M., see Aluoja, A. (78) 27
Levin, J.B., see Nahshoni, E. (78) 21
Lönnqvist, J., see Partonen, T. (78) 11
Löwe, B., Spitzer, R.L., Gräfe, K., Kroenke, K., Quenter, A., Zipfel, S., Buchholz, C., Witte, S. and Herzog, W.
Comparative validity of three screening questionnaires for DSM-IV depressive disorders and physicians' diagnoses (78) 131
Luuk, K., see Aluoja, A. (78) 27

Mackinger, H.F., Leibetseder, M.F., Kunz-Dorfer, A.A., Fartacek, R.R., Whitworth, A.B. and Feldinger, F.F.
Autobiographical memory predicts the course of depression during detoxification therapy in alcohol dependent men (78) 61
Maes, M., see Mylle, J. (78) 37
Maj, M., see Brambilla, F. (78) 273
Marom, S., see Nahshoni, E. (78) 21
Martín-Loeches, M., see Carretié, L. (78) 119
Masi, G., Perugi, G., Toni, C., Millepiedi, S., Mucci, M., Bertini, N. and Akiskal, H.S.
Obsessive-compulsive bipolar comorbidity: focus on children and adolescents (78) 175
Matthey, S.
Calculating clinically significant change in postnatal depression studies using the Edinburgh Postnatal Depression Scale (78) 269
Mercado, F., see Carretié, L. (78) 119
Michael, N. and Erfurth, A.
Treatment of bipolar mania with right prefrontal rapid transcranial magnetic stimulation (78) 253
Millepiedi, S., see Masi, G. (78) 175
Mills, M., see Bell, B. (78) 73
Moilanen, I., see Hiltunen, P. (78) 111
Möller, H.-J., see Bottlender, R. (78) 149
Monteleone, P., see Brambilla, F. (78) 273
Mortensen, P.B., see Høyer, E.H. (78) 209
Mucci, M., see Masi, G. (78) 175
Mylle, J. and Maes, M.
Partial posttraumatic stress disorder revisited (78) 37

Nahshoni, E., Gur, S., Marom, S., Levin, J.B., Weizman, A. and Hermesh, H.
QT dispersion in patients with social phobia (78) 21
Nielen, M.M.A., see Slaap, B.R. (78) 141
Nolen, W.A., see Reichart, C.G. (78) 67
Nolen, W.A., see Reichart, C.G. (78) 81

Oepen, G., Baldessarini, R.J. and Salvatore, P.
On the periodicity of manic-depressive insanity, by Eliot Slater (1938): translated excerpts and commentary (78) 1
Olesen, A.V., see Høyer, E.H. (78) 209
Olfson, M., see Weissman, M.M. (78) 93
Ormel, J., see Reichart, C.G. (78) 67
Oroszi, L., see Szabó, Z. (78) 153
Ortuño, F., see Schlatter, J. (78) 243
Overbeek, T., Büchold, H., Schruers, K. and Griez, E.
Blood-injury related phobic avoidance as predictor of non-response to pharmacotherapy in panic disorder with agoraphobia (78) 227

Partonen, T., Haukka, J., Viilo, K., Hakko, H., Pirkola, S., Isometsä, E., Lönnqvist, J., Särkioja, T., Väisänen, E. and Räsänen, P.
Cyclic time patterns of death from suicide in northern Finland (78) 11
Pauler, D.K., see Yildiz, A. (78) 157
Peindl, K.S., see Wisner, K.L. (78) 249
Pelton, H.H., see Devanand, D.P. (78) 259
Perel, J.M., see Wisner, K.L. (78) 249
Perugi, G., see Masi, G. (78) 175
Pestenácz, A., see Szabó, Z. (78) 153
Pilowsky, D.J., see Weissman, M.M. (78) 93
Pirkola, S., see Partonen, T. (78) 11

Quenter, A., see Löwe, B. (78) 131

Räsänen, P., see Partonen, T. (78) 11
Reichart, C.G., Wals, M., Hillegers, M.H.J., Ormel, J., Nolen, W.A. and Verhulst, F.C.
Psychopathology in the adolescent offspring of bipolar parents (78) 67
Reichart, C.G. and Nolen, W.A.
Earlier onset of bipolar disorder in children by antidepressants or stimulants? An hypothesis (78) 81
Roberts, J., see Bell, B. (78) 73
Roose, P.P., see Devanand, D.P. (78) 259

Sachs, G.S., see Yildiz, A. (78) 157
Sackeim, A.A., see Devanand, D.P. (78) 259
Salvatore, P., see Oepen, G. (78) 1

Särkioja, T., see Partonen, T. (78) 11
Sato, T., see Bottlender, R. (78) 149
Schlatter, J., Ortuño, F. and Cervera-Enguix, S.
Monocytic parameters in patients with dysthymia versus major depression (78) 243
Schruers, K., see Overbeek, T. (78) 227
Schulz, P., see Curtin, F. (78) 201
Shea, S., see Weissman, M.M. (78) 93
Shelton, R.C., see Tomarken, A.J. (78) 235
Shlik, J., see Aluoja, A. (78) 27
Slaap, B.R., Nielen, M.M.A., Boshuisen, M.L., van Roon, A.M. and den Boer, J.A.
Five-minute recordings of heart rate variability in obsessive–compulsive disorder, panic disorder and healthy volunteers (78) 141
Smith, R., see Thompson, C. (78) 219
Sotillo, M., see Carretié, L. (78) 119
Spitzer, R.L., see Löwe, B. (78) 131
Steiner, M., see Bell, B. (78) 73
Stek, M.L., Gussekloo, J., Beekman, A.T.F., van Tilburg, W. and Westendorp, R.G.J.
Prevalence, correlates and recognition of depression in the oldest old: the Leiden 85-plus study (78) 193
Strauß, A., see Bottlender, R. (78) 149
Szabó, Z., Tokaji, Z., Kálmán, J., Oroszi, L., Pestenácz, A. and Janka, Z.
The effect of bright light exposure on pupillary fluctuations in healthy subjects (78) 153
Szajnberg, N., see Hiltunen, P. (78) 111

Thompson, C., Thompson, S. and Smith, R.
Prevalence of seasonal affective disorder in primary care; a comparison of the seasonal health questionnaire and the seasonal pattern assessment questionnaire (78) 219
Thompson, S., see Thompson, C. (78) 219
Tokaji, Z., see Szabó, Z. (78) 153
Tomarken, A.J., Dichter, G.S., Freid, C., Addington, S. and Shelton, R.C.
Assessing the effects of bupropion SR on mood dimensions of depression (78) 235
Toni, C., see Masi, G. (78) 175

Väisänen, E., see Partonen, T. (78) 11
Van Den Haute, M., see Ansseau, M. (78) 49
Van Roon, A.M., see Slaap, B.R. (78) 141
Van Tilburg, W., see Stek, M.L. (78) 193
Vander Mijnsbrugge, D., see Ansseau, M. (78) 49
Vasar, V., see Aluoja, A. (78) 27
Verhulst, F.C., see Reichart, C.G. (78) 67
Viilo, K., see Partonen, T. (78) 11

Wallik, D., see Bell, B. (78) 73
Wals, M., see Reichart, C.G. (78) 67
Webb, M., see Bell, B. (78) 73
Weissman, M.M., Feder, A., Pilowsky, D.J., Olfson, M., Fuentes, M., Blanco, C., Lantigua, R., Gameroff, M.J. and Shea, S.
Depressed mothers coming to primary care: maternal reports of problems with their children (78) 93
Weizman, A., see Nahshoni, E. (78) 21
Westendorp, R.G.J., see Stek, M.L. (78) 193
Whittaker, S., see Bell, B. (78) 73
Whitworth, A.B., see Mackinger, H.F. (78) 61
Wisner, K.L., Perel, J.M., Peindl, K.S. and Hanusa, B.H.
Timing of depression recurrence in the first year after birth (78) 249
Witte, S., see Löwe, B. (78) 131

Yang, S.-J., see Yen, C.-F. (78) 57
Yeh, M.-L., see Yen, C.-F. (78) 57
Yen, C.-F., Chen, C.-S., Yeh, M.-L., Ker, J.-H., Yang, S.-J. and Yen, J.-Y.
Correlates of insight among patients with bipolar I disorder in remission (78) 57
Yen, J.-Y., see Yen, C.-F. (78) 57
Yildiz, A., Pauler, D.K. and Sachs, G.S.
Rates of study completion with single versus split daily dosing of antidepressants: a meta-analysis (78) 157

Zipfel, S., see Löwe, B. (78) 131

ELSEVIER

Journal of Affective Disorders 78 (2004) 291–294

JOURNAL OF AFFECTIVE DISORDERS

www.elsevier.com/locate/jad

Subject index

Acceptability; Antidepressants; Single daily dosing; Compliance **78**, 157

Acute mania; Clonazepam; Lorazepam; Bayesian meta-analysis **78**, 201

Admission; Suicide; Affective disorder; Risk factors; Follow-up study; Discharge **78**, 209

Adolescents; Bipolar offspring; Psychopathology; Mood disorders **78**, 67

Affective disorder; Suicide; Risk factors; Follow-up study; Admission; Discharge **78**, 209

Alcohol dependency; Autobiographical memory; Detoxification; Prediction study; Depression **78**, 61

Alertness; Pupillary oscillation; Pupillography; Seasonal affective disorder **78**, 153

Anhedonia; Depression; Bupropion SR; Placebo; Tripartite model; Dopamine **78**, 235

Anorexia nervosa; Depressive disorders; Personality disorders **78**, 279

Antidepressants; Bipolar disorder; Children; Stimulants **78**, 81

Antidepressants; Single daily dosing; Acceptability; Compliance **78**, 157

Anxiety; Vigilance bias; Emotional valence; Event-related potentials; Early contingent negative variation **78**, 119

Anxiety; Bipolar; Comorbidity; Mood; Subsyndromal; Variability **78**, 185

Anxiety; Elderly; Dysthymia; Major depression; Cardiovascular; Family history **78**, 259

Anxiety disorders; QT dispersion; ECG; Social phobia; Autonomic nervous system; Heart **78**, 21

Anxiety disorders; Kava extract WS® 1490; Sleep disturbances **78**, 101

Autobiographical memory; Alcohol dependency; Detoxification; Prediction study; Depression **78**, 61

Autonomic nervous system; QT dispersion; Anxiety disorders; ECG; Social phobia; Heart **78**, 21

Autonomous nervous system; Panic disorder; Obsessive–compulsive disorder; Spectral analysis; Heart rate variability **78**, 141

Bayesian meta-analysis; Clonazepam; Lorazepam; Acute mania **78**, 201

Bipolar; Anxiety; Comorbidity; Mood; Subsyndromal; Variability **78**, 185

Bipolar disorder; Cycles; Kindling; Manic-depressive; Periodicity; Progressive course; Kraepelin; Sensitization; Slater; Wellness intervals **78**, 1

Bipolar disorder; Insight; Community **78**, 57

Bipolar disorder; Children; Antidepressants; Stimulants **78**, 81

Bipolar Disorder; Obsessive-Compulsive Disorder; Co-morbidity; Children **78**, 175

Bipolar I depression; Maniform switches; Mixed depression **78**, 149

Bipolar offspring; Psychopathology; Adolescents; Mood disorders **78**, 67

Blood-injury phobia; Panic disorder; Predictors **78**, 227

Bupropion SR; Depression; Placebo; Tripartite model; Dopamine; Anhedonia **78**, 235

Burden of illness; Dysthymic disorder; Comorbidity; Primary health care **78**, 73

Burn; Posttraumatic stress disorder; Hierarchical classes analysis; Motor vehicle accidents **78**, 37

Cardiovascular; Elderly; Dysthymia; Major depression; Family history; Anxiety **78**, 259

Children; Bipolar disorder; Antidepressants; Stimulants **78**, 81

Children; Bipolar Disorder; Obsessive-Compulsive Disorder; Co-morbidity **78**, 175

Clinical Significance; Postnatal depression; Edinburgh Postnatal Depression Scale **78**, 269

Clonazepam; Lorazepam; Acute mania; Bayesian meta-analysis **78**, 201

Community; Insight; Bipolar disorder **78**, 57

doi:10.1016/S0165-0327(04)00012-6

Co-morbidity; Bipolar Disorder; Obsessive-Compulsive Disorder; Children **78**, 175

Comorbidity; Dysthymic disorder; Primary health care; Burden of illness **78**, 73

Comorbidity; Anxiety; Bipolar; Mood; Subsyndromal; Variability **78**, 185

Compliance; Antidepressants; Single daily dosing; Acceptability **78**, 157

Control; Depression; Social adjustment; Socioeconomic factors **78**, 27

Correlates; Depression; Oldest old; Prevalence; Recognition; Disability **78**, 193

Cycles; Bipolar disorder; Kindling; Manic-depressive; Periodicity; Progressive course; Kraepelin; Sensitization; Slater; Wellness intervals **78**, 1

Cytokines; Monocyte; Depression; Dysthymia; Phagocytosis **78**; Respiratory-burst **78**, 243

Depression; Social adjustment; Control; Socioeconomic factors **78**, 27

Depression; Alcohol dependency; Autobiographical memory; Detoxification; Prediction study **78**, 61

Depression; Season; Postnatal depression; Postpartum depression; Mother **78**, 111

Depression; Oldest old; Prevalence; Correlates; Recognition; Disability **78**, 193

Depression; Bupropion SR; Placebo; Tripartite model; Dopamine; Anhedonia **78**, 235

Depression; Monocyte; Dysthymia; Cytokines; Phagocytosis; Respiratory-burst **78**, 243

Depressive disorder; Mental health; Needs assessment **78**, 93

Depressive disorder; Diagnosis; Questionnaires; Sensitivity and specificity; Screening; Primary health care **78**, 131

Depressive disorders; Anorexia nervosa; Personality disorders **78**, 279

Detoxification; Alcohol dependency; Autobiographical memory; Prediction study; Depression **78**, 61

Diagnosis; Depressive disorder; Questionnaires; Sensitivity and specificity; Screening; Primary health care **78**, 131

Disability; Depression; Oldest old; Prevalence; Correlates; Recognition **78**, 193

Discharge; Suicide; Affective disorder; Risk factors; Follow-up study; Admission **78**, 209

Dopamine; Depression; Bupropion SR; Placebo; Tripartite model; Anhedonia **78**, 235

Dysthymia; Monocyte; Depression; Cytokines; Phygocytosis; Respiratory-burst **78**, 243

Dysthymia; Elderly; Major depression; Cardiovascular; Family history; Anxiety **78**, 259

Dysthymic disorder; Comorbidity; Primary health care; Burden of illness **78**, 73

Early contingent negative variation; Anxiety; Vigilance bias; Emotional valence; Event-related potentials **78**, 119

ECG; QT dispersion; Anxiety disorders; Social phobia; Autonomic nervous system; Heart **78**, 21

Edinburgh Postnatal Depression Scale; Postpartum depression; Predictive validity; Sensitivity and specificity; Screening **78**, 163

Edinburgh Postnatal Depression Scale; Postnatal depression; Clinical Significance, **78**, 269

Elderly; Dysthymia; Major depression; Cardiovascular; Family history; Anxiety **78**, 259

Emotional valence; Anxiety; Vigilance bias; Event-related potentials; Early contingent negative variation **78**, 119

Event-related potentials; Anxiety; Vigilance bias; Emotional valence; Early contingent negative variation **78**, 119

Family history; Elderly; Dysthymia; Major depression; Cardiovascular; Anxiety **78**, 259

Follow-up study; Suicide; Affective disorder; Risk factors; Admission; Discharge **78**, 209

Gonadal hormone withdrawal; Postpartum depression; Recurrent depression; Women's mental health **78**, 249

Heart; QT dispersion; Anxiety disorders; ECG; Social phobia; Autonomic nervous system **78**, 21

Heart rate variability; Panic disorder; Obsessive–compulsive disorder; Autonomous nervous system; Spectral analysis **78**, 141

Hierarchical classes analysis; Posttraumatic stress disorder; Burn; Motor vehicle accidents **78**, 37

Insight; Bipolar disorder; Community **78**, 57

Kava extract WS® 1490; Sleep disturbances; Anxiety disorders **78**, 101

Kindling; Bipolar disorder; Cycles; Manic-depressive; Periodicity; Progressive course; Kraepelin; Sensitization; Slater; Wellness intervals **78**, 1

Kraepelin; Bipolar disorder; Cycles; Kindling; Manic-depressive; Periodicity; Progressive course; Sensitization; Slater; Wellness intervals **78**, 1

Laterality; Mania; Treatment; Transcranial magnetic stimulation (TMS); Prefrontal cortex **78**, 253

Lorazepam; Clonazepam; Acute mania; Bayesian meta-analysis **78**, 201

Major depression; Elderly; Dysthymia; Cardiovascular; Family history; Anxiety **78**, 259

Mania; Treatment; Transcranial magnetic stimulation (TMS); Prefrontal cortex; Laterality **78**, 253

Manic-depressive; Bipolar disorder; Cycles; Kindling; Periodicity; Progressive course; Kraepelin; Sensitization; Slater; Wellness intervals **78**, 1

Maniform switches; Bipolar I depression; Mixed depression **78**, 149

Mental disorders; Primary health care; PRIME-MD **78**, 49

Mental health; Depressive disorder; Needs assessment **78**, 93

Mixed depression; Bipolar I depression; Maniform switches **78**, 149

Monocyte; Depression; Dysthymia; Cytokines; Phygocytosis; Respiratory-burst **78**, 243

Mood; Anxiety; Bipolar; Comorbidity; Subsyndromal; Variability **78**, 185

Mood disorders; Bipolar offspring; Psychopathology; Adolescents **78**, 67

Mother; Season; Depression; Postnatal depression; Postpartum depression **78**, 111

Motor vehicle accidents; Posttraumatic stress disorder; Hierarchical classes analysis; Burn **78**, 37

Needs assessment; Depressive disorder; Mental health **78**, 93

Obsessive–compulsive disorder; Panic disorder; Autonomous nervous system; Spectral analysis; Heart rate variability **78**, 141

Obsessive-Compulsive Disorder; Bipolar Disorder; Co-morbidity; Children **78**, 175

Oldest old; Depression; Prevalence; Correlates; Recognition; Disability **78**, 193

Panic disorder; Obsessive–compulsive disorder; Autonomous nervous system; Spectral analysis; Heart rate variability **78**, 141

Panic disorder; Predictors; Blood-injury phobia **78**, 227

Periodicity; Bipolar disorder; Cycles; Kindling; Manic-depressive; Progressive course; Kraeplin; Sensitization; Slater; Wellness intervals **78**, 1

Personality disorders; Anorexia nervosa; Depressive disorders **78**, 279

Phygocytosis; Monocyte; Depression; Dysthymia; Cytokines; Respiratory-burst **78**, 243

Placebo; Depression; Bupropion SR; Tripartite model; Dopamine; Anhedonia **78**, 235

Postnatal depression; Clinical Significance; Edinburgh Postnatal Depression Scale, **78**, 269

Postnatal depression; Season; Depression; Postpartum depression; Mother **78**, 111

Postpartum depression; Season; Depression; Postnatal depression; Mother **78**, 111

Postpartum depression; Edinburgh Postnatal Depression Scale; Predictive validity; Sensitivity and specificity; Screening **78**, 163

Postpartum depression; Recurrent depression; Women's mental health; Gonadal hormone withdrawal **78**, 249

Posttraumatic stress disorder; Hierarchical classes analysis; Burn; Motor vehicle accidents **78**, 37

Prediction study; Alcohol dependency; Autobiographical memory; Detoxification; Depression **78**, 61

Predictive validity; Edinburgh Postnatal Depression Scale; Postpartum depression; Sensitivity and specificity; Screening **78**, 163

Predictors; Panic disorder; Blood-injury phobia **78**, 227

Prefrontal cortex; Mania; Treatment; Transcranial magnetic stimulation (TMS); Laterality **78**, 253

Prevalence; Depression; Oldest old; Correlates; Recognition; Disability **78**, 193

Primary health care; Mental disorders; PRIME-MD **78**, 49

Primary health care; Dysthymic disorder; Comorbidity; Burden of illness **78**, 73

Primary health care; Depressive disorder; Diagnosis; Questionnaires; Sensitivity and specificity; Screening **78**, 131

PRIME-MD; Mental disorders; Primary health care **78**, 49

Progressive course; Bipolar disorder; Cycles; Kindling; Manic-depressive; ; Kraeplin; Sensitization; Slater; Wellness intervals **78**, 1

Psychopathology; Bipolar offspring; Adolescents; Mood disorders **78**, 67

Pupillary oscillation; Alertness; Pupillography; Seasonal affective disorder **78**, 153

Pupillography; Alertness; Pupillary oscillation; Seasonal affective disorder **78**, 153

QT dispersion; Anxiety disorders; ECG; Social phobia; Autonomic nervous system; Heart **78**, 21

Questionnaires; Depressive disorder; Diagnosis; Sensitivity and specificity; Screening; Primary health care **78**, 131

Recognition; Depression; Oldest old; Prevalence; Correlates; Disability **78**, 193

Recurrent depression; Postpartum depression; Women's mental health; Gonadal hormone withdrawal **78**, 249

Respiratory-burst; Monocyte; Depression; Dysthymia; Cytokines; Phygocytosis; **78**, 243

Risk factors; Suicide; Affective disorder; Follow-up study; Admission; Discharge **78**, 209

Screening; Depressive disorder; Diagnosis; Questionnaires; Sensitivity and specificity; Primary health care **78**, 131

Screening; Edinburgh Postnatal Depression Scale; Postpartum depression; Predictive validity; Sensitivity and specificity **78**, 163

Season; Suicide; Time **78**, 11

Season; Depression; Postnatal depression; Postpartum depression; Mother **78**, 111

Seasonal affective disorder; Alertness; Pupillary oscillation; Pupillography **78**, 153

Seasonal affective disorder; Seasonal Health Questionnaire; Seasonal Pattern Assessment Questionnaire **78**, 219

Seasonal Health Questionnaire; Seasonal affective disorder; Seasonal Pattern Assessment Questionnaire **78**, 219

Seasonal Pattern Assessment Questionnaire; Seasonal affective disorder; Seasonal Health Questionnaire **78**, 219

Sensitization; Bipolar disorder; Cycles; Kindling; Manic-depressive; Periodicity; Progressive course; Kraepelin; Slater; Wellness intervals **78**, 1

Sensitivity and specificity; Depressive disorder; Diagnosis; Questionnaires; Screening; Primary health care **78**, 131

Sensitivity and specificity; Edinburgh Postnatal Depression Scale; Postpartum depression; Predictive validity; Screening **78**, 163

Single daily dosing; Antidepressants; Acceptability; Compliance **78**, 157

Sensitization; Bipolar disorder; Cycles; Kindling; Manic-depressive; Periodicity; Progressive course; Kraepelin; Slater; Wellness intervals **78**, 1

Slater; Bipolar disorder; Cycles; Kindling; Manic-depressive; Periodicity; Progressive course; Kraepelin; Sensitization; Wellness intervals **78**, 1

Sleep disturbances; Kava extract WS® 1490; Anxiety disorders **78**, 101

Social adjustment; Depression; Control; Socioeconomic factors **78**, 27

Social phobia; QT dispersion; Anxiety disorders; ECG; Autonomic nervous system; Heart **78**, 21

Socioeconomic factors; Depression; Social adjustment; Control **78**, 27

Spectral analysis; Panic disorder; Obsessive–compulsive disorder; Autonomous nervous system; Heart rate variability **78**, 141

Stimulants; Bipolar disorder; Children; Antidepressants **78**, 81

Subsyndromal; Anxiety; Bipolar; Comorbidity; Mood; Variability **78**, 185

Suicide; Season; Time **78**, 11

Suicide; Affective disorder; Risk factors; Follow-up study; Admission; Discharge **78**, 209

Time; Season; Suicide **78**, 11

Transcranial magnetic stimulation (TMS); Mania; Treatment; Prefrontal cortex; Laterality **78**, 253

Treatment; Mania; Transcranial magnetic stimulation (TMS); Prefrontal cortex; Laterality **78**, 253

Tripartite model; Depression; Bupropion SR; Placebo; Dopamine; Anhedonia **78**, 235

Variability; Anxiety; Bipolar; Comorbidity; Mood; Subsyndromal **78**, 185

Vigilance bias; Anxiety; Emotional valence; Event-related potentials; Early contingent negative variation **78**, 119

Wellness intervals; Bipolar disorder; Cycles; Kindling; Manic-depressive; Periodicity; Progressive course; Kraeplin; Sensitization; Slater **78**, 1

Women's mental health; Postpartum depression; Recurrent depression; Gonadal hormone withdrawal **78**, 249

Vol. 78
Contents

2004